

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

SS-31 - 10mg

Tested for: Peppren Labs

COA #: COA-2026-CL15PX
Lot Number: SS-31-001
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 08/24/2026
Appearance: Good
Volume: 3mL
Date Received: 08/18/2026

Method: Purity, Identity & Quantitation (HPLC)

PASS




Scan to verify
authenticity at ils-lab.com
Access Code: A27YQQAX

Identity	Peptide Purity	Fentanyl Free
SS-31	99.69%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.69%	%	PASS
Net Peptide Content	Report Only	10.69	mg	N/A
Identity (HPLC-RTM)	SS-31 (Elamipretide)	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



SS-31 10mg - SS-31-001

HPLC Chromatogram



SS-31 10mg - SS-31-001: UV Chromatogram

Notes & Methodology

- Date Tested: 08/24/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be SS-31 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/24/2026

COA #: COA-2026-CL15PX
Access Code: A27YQQAX
Verify: portal.ils-lab.com
Issued: 8/24/2026